







The STAR of the Hot Tub Industry

Over 25 years ago, it all started with a single round hot tub. Now, Nordic continues to lead the industry in providing high-quality, therapeutic, and affordable hot tubs, all proudly assembled in Michigan. At the heart of our mission is Nordic's STAR philosophy, ensuring every hot tub is Simple, Therapeutic, Affordable, and Reliable.

- **Simple**...Nordic Hot Tubs are simple to use and operate. Not a lot of bells and whistles, simply great quality.
- **Therapeutic...**Nordic Hot Tubs have DTS™ (Dual Therapy System) with direct pressure massage and whirlpool therapy in EVERY tub for the ultimate hot water experience.
- **Affordable**...Nordic Hot Tubs are offered in 5 series so you can find the perfect hot tub at the right price making us your Perfectly Affordable Luxury!
- **Reliable...**Nordic Hot Tubs have an industry leading warranty. We use top quality components and we stand behind every Nordic Hot Tub.



Industry Leading Warranties

LIFETIME SHELL

We warrant against the loss of water through the shell caused by defect in materials and workmanship for the lifetime of the original purchaser or as long as the original purchaser owns the hot tub.

THREE YEAR COMPONENT

We warrant the electrical components, pumps, air valves, slice valves, and hot tub components against malfunction, leaking or defects in materials or workmanship for a period of three years from the original date of purchase.

FIVE YEAR HEATER

We warrant the heating element of the hot tub to be free of defects in materials and workmanship for a period of five years from the original date of purchase.

THREE YEAR NO LEAK


We warrant the hot tub to not leak for a period of three years from the original date of purchase.

TEN YEAR PERMA-WOOD CABINET

We warrant the PermaWood cabinet material to be free from defects in material and workmanship for a period of ten years from the original date of purchase.

ONE YEAR CEDAR CABINET

We warrant the natural cedar cabinet (when applicable) – to be free from defects in materials and workmanship for a period of one year from the original date of purchase.







Hydrotherapy Benefits

- **Physical & Health Benefits**: Regular use of a hot tub soothes sore muscles, improves circulation, and aids pain management, contributing to better physical well-being and muscle health.

 Additionally, hot tub hydrotherapy helps relieve symptoms of arthritis, joint pain, and fibromyalgia by promoting mobility and easing discomfort, thus enhancing overall health and quality of life.
- **Psychological Benefits**: Soaking in a hot tub can reduce stress, alleviate tension, improve sleep, which can have positive effects on mental health and emotional well-being.



Dual Therapy System

Nordic's DTS[™] Dual Therapy System combines high volume whirlpool flow and targeted direct pressure jets giving you the ultimate in hot water therapy.

- **RESTORE..with Direct Pressure Therapy** and get instant relief to tight and sore muscles.
- **HEAL...with Whirlpool Therapy** and create a powerful high-volume, all-over massage to help relax muscles, reduce lactic acid and minimize swelling and soreness.



LUXURY SERIES

As the top series, the Luxury Series offers all desired features with a focus on simplicity and value. Featuring dual pump systems for exceptional hydrotherapy, along with standard Dual Therapy System™, adjustable stainless steel jetting, and Northern Light Package, this series represents top-of-the-line quality at a affordable price point.

SPORT EDITION

The Sport Edition tubs are comfortable and stylish with outstanding performance. Building on the Modern Series, featuring increased horsepower for the highest water flow available, delivering more intense and therapeutic jet pressure. These tubs also include an LED light, adjustable stainless steel jets and Dual Therapy System™ as standard features.

MODERN SERIES

The Modern Series features versatile hot tubs offering customizable seating capacity, depth, and layouts, with the flexibility for both 110V and 220V electrical hookups. Standard features include Dual Therapy System™, adjustable stainless steel jets, and an LED light.

CLASSIC SERIES

The Classic Series embodies the Nordic Passion with its iconic round hot tubs offering exclusive Dual Therapy System[™] and comfortable barrier-free seating. Standard features include adjustable stainless steel jets and an LED light, with most models convertible for 110V or 220V electrical.

ALL-IN-110V SERIES

The 110V Series offers a convenient "Plug N Play" hot tub with our exclusive Dual Therapy System™. The All-In-110V Series includes standard features typically found in top-of-the-line models, including adjustable stainless-steel jets, LED lighting, ozone, GFCI cord, and Nordic Wrap™ insulation.



Shell: Drift | Cabinet: Black



DIMENSIONS	
Seating	8 person
Length	96 in (244 cm)
Width	84 in (213 cm)
Depth	36 in (91 cm)
Weight (Dry)	625 lbs (283 kg)
Operating Capacity	373 gal (1412 L)

SPECIFICATIONS

Total Jets	49
Volts	220v
Amps	50a
Lighting	Northern Light Package
Heater	4kw
Pump	(1) 2hp & (1) 3hp Continuous Duty



DIMENSIONS

Seating	6 person
Length	84 in (213 cm)
Width	84 in (213 cm)
Depth	35 in (89 cm)
Weight (Dry)	585 lbs (266 kg)
Operating Capacity	330 gal (1259 L)

Shell: Drift | Cabinet: Brown

SPECIFICATIONS

Total Jets	53
Volts	220v
Amps	50a
Lighting	Northern Light Package
Heater	4kw
Pump	(1) 2hp & (1) 3hp Continuous Duty



Shell: Drift | Cabinet: Black

Shell: Drift | Cabinet: Brown



DIMENSIONS	
Seating	6 person
Length	84 in (213 cm)
Width	84 in (213 cm)
Depth	35 in (89 cm)
Weight (Dry)	565 lbs (257 kg)
Operating Capacity	325 gal (1155 L)

SPECIFICATIONS

Total Jets	46
Volts	220v
Amps	50a
Lighting	Northern Light Package
Heater	4kw
Pump	(1) 2hp & (1) 3hp Continuous Duty



DIMENSIONS

Seating	6 person
Length	84 in (213 cm)
Width	84 in (213 cm)
Depth	35 in (89 cm)
Weight (Dry)	520 lbs (236 kg)
Operating Capacity	330 gal (1249 L)

SPECIFICATIONS

40
220v
40a
Sidewall LED
4kw
(1) 3hp Continuous Duty



Shell: Drift | Cabinet: Black





DIMENSIONS

J.1.1.2.1.3.1.3.1.3	
Seating	6 person
Length	84 in (213 cm)
Width	84 in (213 cm)
Depth	35 in (89 cm)
Weight (Dry)	500 lbs (227 kg)
Operating Capacity	325 gal (1230 L)

SPECIFICATIONS

38
220v
40a
Sidewall LED
4kw
(1) 3hp Continuous Duty



DIMENSIONS

Divilitation	
Seating	5 person
Length	80 in (203 cm)
Width	70 in (178 cm)
Depth	34 in (86 cm)
Weight (Dry)	395 lbs (179 kg)
Operating Capacity	250 gal (946 L)

SPECIFICATIONS

Γotal Jets	28
/olts	220v
Amps	40a
ighting	Footwell LED
Heater	4kw
Pump	(1) 3hp Continuous Duty



Shell: Shadow | Cabinet: Black



DIMENSIONS

Seating	3 person
Length	84 in (213 cm)
Width	62 in (157 cm)
Depth	34 in (86 cm)
Weight (Dry)	416 lbs (189 kg)
Operating Capacity	240 gal (908 L)

EQUIPMENT

Shell: Drift | Cabinet: Gray

-4011111111	
Total Jets	23
Volts	220v
Amps	40a
Lighting	Sidewall LED
Heater	4kw
Pump	(1) 3hp Continuous Duty



DIMENSIONS

Seating	2 person
Length	84 in (213 cm)
Width	72 in (183 cm)
Depth	34 in (86 cm)
Weight (Dry)	352 lbs (160 kg)
Operating Capacity	205 gal (776 L)

SPECIFICATIONS

otal Jets	26
olts	220v
mps	40a
ighting	Sidewall LED
leater	4kw
ump	(1) 3hp Continuous Duty



Shell: Shadow | Cabinet: Brown

Shell: Drift | Cabinet: Black



DIMENSIONS

Dimentoronto	
Seating	6 person
Length	84 in (213 cm)
Width	84 in (213 cm)
Depth	35 in (89 cm)
Weight (Dry)	475 lbs (215 kg)
Operating Capacity	330 gal (1249 L)

SPECIFICATIONS

Total Jets	32
Volts	110v / 220v (GFCI Cord Optional)
Amps	20a / 40a
Lighting	Sidewall LED
Heater	1kw on 110v / 4kw on 220v
Pump	(1) 2hp Continuous Duty



DIMENSIONS

Seating	6 person
Length	84 in (213 cm)
Width	84 in (213 cm)
Depth	35 in (89 cm)
Weight (Dry)	470 lbs (213 kg)
Operating Capacity	325 gal (1230 L)

SPECIFICATIONS

otal Jets	30
olts	110v / 220v (GFCI Cord Optional)
mps	20a / 40a
ighting	Sidewall LED
leater	1kw on 110v / 4kw on 220v
ump	(1) 2hp Continuous Duty



Shell: Shadow | Cabinet: Gray

Shell: Drift | Cabinet: Gray



Seating	5 person
Length	80 in (203 cm)
Width	70 in (178 cm)
Depth	34 in (86 cm)
Weight (Dry)	395 lbs (179 kg)
Operating Capacity	250 gal (946 L)

SPECIFICATIONS

Total Jets	28
Volts	110v / 220v
Amps	20a / 40a
Lighting	Footwell LED
Heater	1kw on 110v / 4kw on 220v
Pump	(1) 2hp Continuous Duty



DIMENSIONS

Seating	3 persor
Length	84 in (213 cm
Width	62 in (157 cm
Depth	34 in (86 cm
Weight (Dry)	416 lbs (189 kg
Operating Capacity	240 gal (908 L

SPECIFICATIONS

Total Jets	21
Volts	110v / 220v
Amps	20a / 40a
Lighting	Sidewall LED
Heater	1kw on 110v / 4kw on 220v
Pump	(1) 2hp Continuous Duty



Shell: Shadow | Cabinet: Black

up to two adults, seated facing each other. The 38.5 inch depth ensures optimum water immersion for maximum DTS™.



Shell: Drift | Cabinet: Black



secure while experiencing optimum DTS™.

Hip AND wrist jets are standard features

only available in the D'Amour MS™!

DIMENSIONS

DIMENSIONS	
Seating	2 person
Length	84 in (213 cm)
Width	72 in (183 cm)
Depth	34 in (86 cm)
Weight (Dry)	352 lbs (160 kg)
Operating Capacity	205 gal (776 L)

SPECIFICATIONS

Total Jets	26
Volts	110v / 220v
Amps	20a / 40a
Lighting	Sidewall LED
Heater	1kw on 110v / 4kw on 220v
Pump	(1) 2hp Continuous Duty



DIMENSIONS

Seating	2 person
Length	83 in (211 cm)
Width	34 in (86 cm)
Depth	38.5 in (98 cm)
Weight (Dry)	268 lbs (122 kg)
Operating Capacity	135 gal (511 L)

SPECIFICATIONS

otal Jets	15
olts	110v / 220v (GFCI Cord Optional)
mps	15a / 40a
ighting	Sidewall LED
leater	1kw on 110v / 4kw on 220v
ump	(1) 1hp Continuous Duty



Shell: Drift | Cabinet: Brown

Shell: Shadow | Cabinet: Cedar



DIMENSIONS

DIMENSIONS	
Seating	6 person
Diameter	84 in (213 cm)
Depth	38.5 in (98 cm)
Weight (Dry)	400 lbs (181 kg)
Operating Capacity	330 gal (1249 L)

SPECIFICATIONS

Total Jets	30
Volts	220v
Amps	40a
Lighting	Footwell LED
Heater	4kw
Pump	(1) 3hp Continuous Duty



DIMENSIONS

Seating	6 persor
Diameter	84 in (213 cm)
Depth	38.5 in (89 cm)
Weight (Dry)	375 lbs (170 kg)
Operating Capacity	330 gal (1249 L)

SPECIFICATIONS	
Total Jets	21
Volts	110v / 220v (GFCI Cord Optional)
Amps	20a / 40a
Lighting	Footwell LED
Heater	1kw on 110v / 4kw on 220v
Pump	(1) 2hp Continuous Duty



Shell: Drift | Cabinet: Brown

Shell: Drift | Cabinet: Black



DIMENSIONS

Difficitorio	
Seating	6 person
Diameter	84 in (213 cm)
Depth	35 in (89 cm)
Weight (Dry)	345 lbs (156 kg)
Operating Capacity	275 gal (1041 L)

SPECIFICATIONS

Total Jets	22
Volts	110v / 220v (GFCI Cord Optional)
Amps	20a / 40a
Lighting	Footwell LED
Heater	1kw on 110V / 4kw on 220V
Pump	(1) 2hp Continuous Duty



DIMENSIONS

Seating	5 person
Diameter	78.5 in (199 cm)
Depth	35 in (89 cm)
Weight (Dry)	335 lbs (152 kg)
Operating Capacity	280 gal (1060 L)

SPECIFICATIONS

Total Jets	21
Volts	110v / 220v (GFCI Cord Optional)
Amps	20a / 40a
Lighting	Footwell LED
Heater	1kw on 110V / 4kw on 220V
Pump	(1) 2hp Continuous Duty



Shell: Drift | Cabinet: Grey

Shell: Eclipse | Cabinet: Black



DIMENSIONS	
Seating	5 person
Diameter	78.5 in (199 cm)
Depth	35 in (89 cm)
Weight (Dry)	280 lbs (127 kg)
Operating Capacity	280 gal (1060 L)

SPECIFICATIONS

Total Jets	15
Volts	110v / 220v (GFCI Cord Optional)
Amps	15a / 40a
Lighting	Footwell LED
Heater	1kw on 110v / 4kw on 220v
Pump	(1) 1hp Continuous Duty



DIMENSIONS

Seating	5 person
Diameter	78.5 in (199 cm)
Depth	31 in (79 cm)
Weight (Dry)	270 lbs (122 kg)
Operating Capacity	266 gal (1007 L)

SPECIFICATIONS

otal Jets	14
olts	110v / 220v (GFCI Cord Optional)
mps	15a / 40a
ighting	Footwell LED
eater	1kw on 110v / 4kw on 220v
ump	(1) 1hp Continuous Duty



Shell: Shadow | Cabinet: Gray





DIMENSIONS	
eating	5 person
ength	80 in (203 cm)
Vidth	70 in (178 cm)
epth	34 in (86 cm)
Veight (Dry)	395 lbs (179 kg)
nerating Canacity	250 gal (946 L)

SPECIFICATIONS	
Total Jets	13
Volts	110v (GFCI Cord Included)
Amps	15a
Lighting	Footwell LED
Heater	1kw
Pump	(1) 1hp Continuous Duty



person
213 cm)
157 cm)
(86 cm)
(189 kg)
(908 L)

SPECIFICATIONS

otal Jets	13
olts	110v (GFCI Cord Included)
mps	15a
ighting	Sidewall LED
leater	1kw
ump	(1) 1hp Continuous Duty



D'AMOUR 110

The D'Amour™ All-In-110V features deeply bucketed seats for two which allow you to feel secure while experiencing optimum DTS™. A perfect tub for alone time with a loved one or simple sanctuary from every day stress. Includes LED lighting, ozone, GFCI cord, and Nordic Wrap insulation.

Shell: Shadow | Cabinet: Black

WARRIOR XL 110

The Warrior™ All-In-110V features multi-level, barrier free seating for up to six adults offering you maximum flexibility. The step-in/cool-down seat offers additional ease of entry into the hot tub while providing an additional seating depth option. Includes LED lighting, ozone, GFCI cord, and Nordic Wrap insulation.





DIMENSIONS

DIMENSIONS	
Seating	2 person
Length	84 in (213 cm)
Width	72 in (183 cm)
Depth	34 in (86 cm)
Weight (Dry)	352 lbs (160 kg)
Operating Capacity	205 gal (776 L)

SPECIFICATIONS

Total Jets	14
Volts	110v (GFCI Cord Included)
Amps	15a
Lighting	Sidewall LED
Heater	1kw
Pump	(1) 1hp Continuous Duty



DIMENSIONS

Seating	6 person
Diameter	84 in (213 cm)
Depth	38.5 in (98 cm)
Weight (Dry)	375 lbs (170 kg)
Operating Capacity	330 gal (1249 L)

SPECIFICATIONS

otal Jets	13
olts	110v (GFCI Cord Included)
mps	15a
ighting	Footwell LED
eater	1kw
ump	(1) 1hp Continuous Duty



hot water therapy. The step-in/cool-down seat offers ease of entry into the hot tub while providing an additional seating depth option. Includes LED lighting, ozone, GFCI cord, and Nordic Wrap insulation.

Shell: Drift | Cabinet: Brown



additional ease of entry into the hot tub while

providing an additional seating depth option.


Wrap insulation.

Includes LED lighting, ozone, GFCI cord, and Nordic

SPECIFICATIONS

Total Jets	15
Volts	110v (GFCI Cord Included)
Amps	15a
Lighting	Footwell LED
Heater	1kw
Pump	(1) 1hp Continuous Duty

Shell: Drift | Cabinet: Gray




J. 2011 107 111 0111	
Total Jets	15
Volts	110v (GFCI Cord Included)
Amps	15a
Lighting	Footwell LED
Heater	1kw
Pump	(1) 1hp Continuous Duty

33



DIMENSIONS	
Seating	6 person
Diameter	84 in (213 cm)
Depth	35 in (89 cm)
Weight (Dry)	345 lbs (156 kg)
Operating Capacity	275 gal (1041 L)

SPECIFICATIONS Seating 5 person Diameter 78.5 in (199 cm) 35 in (89 cm) Depth 280 lbs (127 kg) Weight (Dry) **Operating Capacity** 280 gal (1060 L)





Northern Light Package

Illuminate your space with the ultimate Northern Lighting Package featuring footwell side wall lights, LED cupholders, a Nordic Cascade waterfall with LED lighting and corner cabinet lighting.



Starlight Add-On

Enhance your Northern Light Package or Mood Light Package with the pinpoints lighting add on. (Requires NLP or MLP)



Bluetooth Audio

Bluetooth Enabled stereo system, featuring (2) 3.5" speakers in round tubs and (2) 7" speakers in square tubs for immersive sound.



Control Your Spa

Optional WiFi, an intuitive touchscreen, and a spa indicator light. Download the ControlMySpa™ app, compatible with Amazon Alexa.



Mood Lighting Package

The classic Mood Lighting Package features footwell side wall lights and sconce lighting.



Stainless Steel Banding

Enhance your round hot tub with the modern, sleek look of the stainless steel banding.



Nordic Wrap™

An eco-friendly, 2 ½" thick blanket that provides a durable, weather-resistant barrier in addition to, our standard 2 lb. density foam.



Nordic Water Care

Choose between the Nordic CLEAN™, available on all models and the Nordic PURE™, not available on Bella™ or All-In-110V™ models.



COLOR YOUR OASIS

Our Nordic Permashell™ colors, embedded in HDPE, offer rich, durable hues with an easy-to-maintain, non-skid finish.

Complementing these are four Nordic Permawood™ cabinet colors, designed to enhance appearance and withstand elements.

Handpicked natural cedar ensures consistent beauty and protection for your hot tub's lifetime.

Permashell[™] Colors



Permawood Cabinet Colors

Black, Brown, Gray & UPGRADE Natural Cedar



Color samples are for reference only. Actual product color may vary slightly.

Nordic Products Inc. reserves the right to change any specifications without notice

FEATURES	L	LUXURY SERIES							
BY SERIES	RENDEZVOUS	ENCORE	JUBILEE						
SPECS									
Seating	8	6	6						
Length (inches)	96	84	84						
Width (inches)	84	84	84						
Diameter (inches)									
Depth (inches)	36	35	35						
Dry Weight (lbs)	625	585	565						
Operating Capacity (gal) JETS	373	330	325						
Total Jets	49	53	46						
5" Nordic Star™ Directional Whirlpool	2	1	1						
5" Nordic Star [™] Dual Rotational	3	2	2						
3" Nordic Star [™] Directional	11	11	9						
3" Nordic Star™ Dual Rotational	6	7	8						
2" Nordic Star™ Directional	25	31	25						
2" Chrome Fixed Cluster									
1" Ozone Jet	2	1	1						
Nordic Cascade™ Waterfall	1	1	1						
PUMP(S)									
1 hp Continuous Duty		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \							
2 hp Continuous Duty	X	X	X						
3 hp Continuous Duty OZONE SYSTEMS	X	Ι Χ	Λ						
Nordic Clean [™] Installed	OPT	OPT	OPT						
Nordic Clean Installed	OPT	OPT	OPT						
LIGHTING	011	011	Oll						
Footwell LED									
Sidewall LED									
Mood Lighting Package									
Northern Lighting Package	Х	Х	Х						
Starlight Pinpoint LED	OPT	OPT	OPT						
STEREO / WIFI OPTION									
Bluetooth Stereo	OPT	OPT	OPT						
BP Wifi Pack w/ Spa Touch 2™	OPT	OPT	OPT						
INSULATION									
Standard 2 lb Foam	Х	Х	Х						
Nordic Wrap™ Installed	OPT	OPT	OPT						
VOLTS									
110v									
110v/15 amp GFCI Cord									
110v/20 amp GFCI Cord									
110v/220v Convertible	ļ	L							
220v	X	Х	Х						
AMPS									
15 amps		<u> </u>							
15/40 amp Convertible									
20/40 amp Convertible									
40 amps 50 amps	X	X	X						

	SPC	ORT EDITI	ON	
ENCORE	JUBILEE	RETREAT	STELLA	D'AMOUR
6	6	5	3	2
84	84	80	84	84
84	84	70	62	72
35	35	34	34	34
520	500	395	416	352
330	325	250	240	205
	5=5			
40	38	28	23	26
1	1	1	1	1
2	2	1	1	2
8	6	4	6	
5	7	6	6	6
23	21	15	8	16
1	1	1	1	1
1	1	1	1	1
·	·	,	,	,
Χ	Χ	Χ	Χ	Χ
OPT	OPT	OPT	OPT	OPT
OPT	OPT	OPT	OPT	OPT
		V		
Х	Х	Х	X	X
^	^		^	
OPT	OPT	OPT	OPT	OPT
OPT	OPT	OPT	OPT	OPT
OPT	OPT	OPT	OPT	OPT
OPT	OPT	OPT	OPT	OPT
X	X	X	X	X
OPT	OPT	OPT	OPT	OPT
Х	Χ	Χ	Χ	Χ
	X	X	X	X
Χ				

MOE	DERN SER	IES			
ENCORE	JUBILEE	RETREAT	STELLA	D'AMOUR	BELLA
6	6	5	3	2	2
84	84	80	84	84	83
84	84	70	62	72	34
35	35	34	34	34	38.5
475	470	395	416	352	268
330	325	250	240	205	135
32	30	28	21	26	15
1	1	1	1	1	1
2	2	1	1	2	2
6	6	4	4	6	
5	5	6	6		
17	15	15	8	16	4.0
4	4	4	4	4	10
1	1	1	1	1	2
					Х
Х	Х	Х	Χ	Х	
OPT	OPT	OPT	OPT	OPT	OPT
OPT	OPT	OPT	OPT	OPT	
		V			
X	X	X	X	X	Χ
^	^		^	^	OPT
OPT	OPT	OPT	OPT	OPT	OFF
OPT	OPT	OPT	OPT	OPT	OPT
<u> </u>	3. 1		0	0	<u> </u>
OPT	OPT	OPT	OPT	OPT	
OPT	OPT	OPT	OPT	OPT	
Χ	Χ	Χ	Χ	Х	Χ
OPT	OPT	OPT	OPT	OPT	OPT
					OPT
OPT	OPT	OPT	OPT	OPT	UFI
X	X	X	X	X	Χ
		^	^		^
					Χ
Х	Χ	Χ	Х	Χ	

		CLASSIC	SERIES						ALL-IN-11	OV SERIES	5	
CROWN XL	WARRIOR XL	CROWN	CROWN II	IMPULSE DP	IMPULSE		RETREAT	STELLA	D'AMOUR	WARRIOR XL	CROWN	
			_	_			-					
6	6	6	5	5	5		5 80	3 84	2 84	6	6	ł
							70	62	72			t
84	84	84	78.5	78.5	78.5		70	02	12	84	84	t
38.5	38.5	35	35	35	31		34	34	34	38.5	35	t
400	375	345	335	280	270		395	416	352	375	345	Ť
330	330	275	280	280	266		250	240	205	330	275	I
30	21	22	21	15	14		13	13	14	13	15	Ŧ
2	1	1	1	15	1		13	1	1	1	1	t
3	3	3	'	'	'		2	1	2	3	3	t
3	J	3	16	2	2		3	2	6	4	4	t
4	4	4	3	3	2		6	6		4	4	Ť
17	12	10		8	8			2	4		2	Ţ
												ļ
1	1	1	1	1	1		1	1	1	1	1	ł
												h
				Х	Х		Х	Х	Х	Х	Х	T
	Х	Х	Х	7.	7.			7.	7.		_ ^	Ť
Χ												I
OPT	OPT	OPT	OPT	OPT	OPT		Х	Х	Х	Х	Х	ļ
OPT	OPT	OPT	OPT	OPT	OPT							h
X	Х	Х	Х	Х	Х		Х			Х	Х	T
Α	Α	Α	Λ	Λ	Α		7.	Х	Х		Α	t
OPT	OPT	OPT	OPT	OPT	OPT					OPT	OPT	Ī
							OPT	OPT	OPT			Į
OPT	OPT	OPT	OPT	OPT	OPT		OPT	OPT	OPT	OPT	OPT	1
OPT	OPT	OPT	OPT	OPT	OPT				1			Ŧ
OPT OPT	OPT OPT	OPT OPT	OPT	OPT	OPT					<u> </u>	<u> </u>	t
OIT	Oll	011										ò
Х	Х	Х	Х	Х	Х		Χ	Х	Х	Х	Х	Ī
OPT	OPT	OPT	OPT	OPT	OPT		Χ	Х	Х	Х	Х	I
				1				1				
				ODT	ODT		X	X	X	X	X	Ŧ
	OPT	OPT	OPT	OPT	OPT		Χ	Х	Х	Х	X	ł
	X	X	X	Χ	Х							t
X	- 1	~		- 1								t
												Í
							Χ	Х	Х	Х	Х	Ţ
	,,		.,	Χ	Х							ļ
	Χ	Х	Χ									+
X												+

No. Sept. Copt. Copt.		SPO	ORT EDITI	ION		МО	DERN SER	RIES				CLASSIC SERIES				ALL-IN-110V SERIES							
Set Set	ENCORE	JUBILEE	RETREAT	STELLA	D'AMOUR	ENCORE	JUBILEE	RETREAT	STELLA	D'AMOUR	BELLA	CROWN XL	WARRIOR XL	CROWN		IMPULSE DP	IMPULSE	RETREAT	STELLA	D'AMOUR	WARRIOR XL	CROWN	SPORT
State Stat																							
Set Fig. F												6	6	6	5	5	5		_		6	6	5
St. St.																							
35 35 34 34 34 34 35 35	84	84	70	62	12	84	84	/0	62	/2	34	0.4	0.4	0.4	70.5	70.5	70.5		62	/2	0.4	0.4	70.5
Solid Soli	25	2E	24	24	24	25	25	2.4	24	24	20 E							24	24	24			
330 325 250 240 205 330 325 250 240 205 135 330 330 275 280 280 266 250 240 205 330 275 280 280 240 205 330 275 280 240 205 330 275 280 240 205 330 275 280 240 205 330 275 280 240 205 330 275 280 240 205 240 205 330 275 280 240 205 240 205 240 205 240 205 240 205 240 205 240 205 240 205 240 205 240 205 240 205 240 205 240 205 240 205 240 205 240 205 240 205 240 205																							
A0 38 28 23 26 32 30 28 21 26 15 30 21 22 21 15 14 13 13 14 13 15 15 15 14 1 1 1 1 1 1 1 1																							
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	330	323	230	240	203	330	323	230	240	203	133	330	330	275	200	200	200	230	240	203	330	275	200
2 2 1 1 1 2 3 3 3 3 5	40	38	28	23	26	32	30	28	21	26	15	30	21	22	21	15	14	13	13	14	13	15	15
8 6 4 4 6 5 5 5 6 6 6 17 15 15 15 8 16 16 17 15 15 15 8 16 16 10 10 10 10 10 10 10 10 10 10 10 10 10	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
S	2	2	1	1	2	2	2	1	1	2	2	3	3	3				2	1	2	3	3	
13	8	6	4	6		6	6	4	4	6		3		3	16	2	2	3	2	6	4	4	2
1															3			6			4		
1	23	21	15	8	16	17	15	15	8	16		17	12	10		8	8		2	4		2	8
1	1	1	4	1	1	4	4	1	4	4		4	- 1	4	4	4	1		1	1	1	4	4
X				_		1	1	1	l	1			1	1	1	1	l	1		1	1	1	1
X			,		ı																		
X		1									Χ					X	Χ	X	X	X	X	X	X
X						X	X	X	X	X			Х	Х	X	Λ				- /	Α	Λ	Λ
OPT OPT	Х	Х	Х	Х	Х	7.			,	7.		Х	7.	7.									
OPT OPT																							
X	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	Х	Х	Х	Х	Х	Х
X	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT		OPT	OPT	OPT	OPT	OPT	OPT						
X		_																		,			
OPT			Х				\ \\	X				X	Х	Х	Х	X	X	X			X	Х	Х
OPT OPT <td>X</td> <td>X</td> <td></td> <td>Х</td> <td>Х</td> <td>X</td> <td>X</td> <td></td> <td>X</td> <td>Х</td> <td></td> <td>ODT</td> <td>ODT</td> <td>ODT</td> <td>ODT</td> <td>ODT</td> <td>ODT</td> <td></td> <td>X</td> <td>X</td> <td>ODT</td> <td>ODT</td> <td>ODT</td>	X	X		Х	Х	X	X		X	Х		ODT	ODT	ODT	ODT	ODT	ODT		X	X	ODT	ODT	ODT
OPT OPT <td>OPT</td> <td>OPI</td> <td>OPT</td> <td>OPT</td> <td>OPI</td> <td>OPT</td> <td>OPT</td> <td>OPI</td> <td>OPT</td> <td>OPT</td> <td>OPT</td> <td>OPI</td> <td>OPI</td> <td>OPI</td>	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPI	OPT	OPT	OPI	OPT	OPT	OPI	OPT	OPT	OPT	OPI	OPI	OPI
OPT OPT <td></td> <td>OPT</td> <td>OPT</td> <td>∩PT</td> <td>OPT</td> <td>OPT</td> <td>OPT</td> <td>∩PT</td> <td></td> <td></td> <td></td> <td>OPT</td> <td>∩PT</td> <td>OPT</td>											OPT	OPT	∩PT	OPT	OPT	OPT	∩PT				OPT	∩PT	OPT
OPT OPT <td>011</td> <td>, 511</td> <td></td> <td></td> <td>OI I</td> <td>011</td> <td>, 511</td> <td>011</td> <td>OI I</td> <td>011</td> <td>011</td> <td>011</td> <td></td> <td></td> <td>011</td> <td>011</td> <td>011</td> <td></td> <td></td> <td></td> <td></td> <td>011</td> <td>011</td>	011	, 511			OI I	011	, 511	011	OI I	011	011	011			011	011	011					011	011
OPT OPT <td>OPT</td> <td></td> <td>OPT</td> <td>OPT</td> <td>OPT</td> <td>OPT</td> <td>OPT</td> <td>OPT</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT		OPT	OPT	OPT	OPT	OPT	OPT						
OPT OPT <td></td> <td></td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td>			-										-										
OPT OPT <td></td>																							
													-					Х	Х	Х	Х		
	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	OPT	X	X	Х	X	X	Х
OPT OPT OPT OPT OPT		-									OPT					OPT	OPT						
		+				ODT	ODT	OPT	ODT	ODT	UPI		ODT	OPT	OPT	UPI	UPI	X	X	X	X	X	X
		+									У					V	У						
	Y	Y	Y	Y	У	^	^	^	^	^	^	Y	^	_ ^	^	^	^						
			^		Λ																		
																		X	X	X	X	Х	Х
											Х					Х	Х						
						X	X	X	Х	X			Х	X	Х								
	X	Χ	Х	Х	Х							Χ											

